



TabletWorks Citrix and Terminal Services

Overview

TabletWorks can be used in a Citrix™ or Terminal Services™ environment by:

- 1 Installing TabletWorks CTS on the Citrix or Terminal Services Server.
- 2 Installing TabletWorks on the Client workstation.
- 3 Enabling Citrix/Terminal Services support on the Client Workstation.

After these steps are completed, any Wintab-compliant application run in a Session on the Server will be able to utilize the tablet attached to the workstation.

TabletWorks CTS Installation on Servers running Citrix or Terminal Services


TabletWorks is installed on the Citrix or Terminal Services Server by running the TabletWorks CTS installer. One file is copied to the **Windows\System32** directory (*wintab32.dll*). Several files are installed into **Program Files\GTCO CalComp\TabletWorksCTS**.

The file *TWCTS.exe* allows the System Administrator to change the TCP port used for communication with the client workstations. This file can be accessed from the **Start** menu, **Programs\TabletWorks**. It is expected that, in nearly all installations, the System Administrator will not have to modify this value. Nevertheless, if there is a conflict with other applications, the capability to choose an open port is provided. If this value is changed, the System Administrator **must** use TabletWorks to configure all client workstations with the same port assignment. See *Enabling Citrix/Terminal Services Support on the Client Workstation* below for more information.

TabletWorks Installation on the Client Workstation

TabletWorks is installed on the Client Workstation using the TabletWorks installer. The installer will add the TabletWorks Control Panel to the **Startup** group, copy *wintab32.dll* to the **Windows\System32** directory, and create a **Start\Programs\TabletWorks** group with several utilities inside it. Several files are installed into **Program Files\GTCO CalComp\TabletWorks**.

Enabling Citrix/Terminal Services Support on the Client Workstation

The default Client Workstation install does not enable Citrix/Terminal Services support. Each workstation must be configured for this support. Right-click on the TabletWorks icon  in the Windows System Tray to display the TabletWorks Menu. Select the *Preferences* option and click on the **Citrix/Terminal Services** tab. Enable support by checking on the *Enable Wintab* checkbox. In addition, you can change the TCP Port used for Wintab communications with the Citrix/Terminal Services Server. Note that the Server and Client Ports must match exactly for Wintab to work correctly.